EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurais	Time Stamp
L1	3173	707/8,9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 11:20
L2	0	"696416".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 11:21
L3	110587	((multiple plural many few double) WITH (transaction\$1 transact\$3 process\$3 read\$3 writ\$6 action\$3)) SAME (lock\$3 block\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 11:24
L4	9026	("acitivity duration locking" "ADL")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 11:22
L5	9026	L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 11:23
L6	231	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 11:23
L7	16935	(((multiple plural many few double) WITH (transaction\$1 transact\$3 process\$3 read\$3 writ\$6 action\$3)) SAME (lock\$3 block\$3)) and (database data?base DBMS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 11:24
L8	3065	(((multiple plural many few double) WITH (transaction\$1 transact\$3 process\$3 read\$3 writ\$6 action\$3)) SAME (lock\$3 block\$3)) and ((shar\$3) SAME (database data?base DBMS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 11:25

EAST Search History

L9	5	8 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 11:27
L10	229	8 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 11:27
L11	46	10 and (lock\$3 WITH duration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2008/01/18 11:29
L12	0	10 and ((releasing WITH duration) and (lock\$3 WITH duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/18 11:28

Web Images Maps News Shopping Gmail more ▼

Sign in

<u>Google</u>

multiple (processes OR activities) in one lockir

Search

Advanced Search Preferences

Books Results 1 - 10 of about 1,740,000 for multiple (processes OR activities) in one locking transaction Web

Lock (computer science) - Wikipedia, the free encyclopedia Before introducing lock granularity, one needs to understand three concepts ... but worse performance when multiple processes are running concurrently. ... en.wikipedia.org/wiki/Lock (computer_science) - 31k - Cached - Similar pages

Method and system of lock request management in a data processing ... The present invention allocates one lock request block (LRB) per process and identifies the ownership ... A single transaction can have multiple processes ... www.patentstorm.us/patents/5745747-description.html - 28k - Cached - Similar pages

Method and system of lock request management in a data processing ... Transactions are comprised of one or more "processes. ... When a transaction issued multiple lock requests with different lock modes and durations on the ... www.freepatentsonline.com/5745747.html - 35k - Cached - Similar pages

Diagnosing Transaction Enqueue (TX) Locking Issue - Oracle A TX lock is a transaction enqueue and relates to the rollback segment ... have multiple processes attempting to insert into one target. If this ... www.thescripts.com/forum/thread64499.html - 24k - Cached - Similar pages

Berkeley DB Reference Guide: What is Berkeley DB? Multiple processes, or multiple threads in a single process, ... two-phase locking to be sure that concurrent transactions are isolated from one another, ... www.oracle.com/technology/documentation/berkeley-db/db/ref/intro/dbis.html - 12k -Cached - Similar pages

LOCK

Caché parses this as multiple LOCK commands, so the timeout of one lock argument variables to synchronize the activities of multiple processes that may ... vista.intersystems.com/csp/docbook/DocBook.UI.Page.cls?KEY=RCOS_clock - 51k -Cached - Similar pages

Encina transaction processing

A distributed transaction runs in multiple processes, potentially on many If one transaction holds a lock in a particular mode on an object and a ... publib.boulder.ibm.com/infocenter/txen/topic/com.ibm.txseries510.doc/aetga10035.htm -17k - Cached - Similar pages

Two's a Crowd

Note that when formally discussing locking behavior, I talk about processes and not users. Keep in mind that one user can run multiple applications that ... www.sqlmaq.com/Article/ArticleID/25916/sql server 25916.html - Similar pages

Overview of Performance - SQL Server Central

One of my clients asked me to check the process they have had a problem with. The process was locking other processes and sometimes was finishing on a ... www.sqlservercentral.com/articles/Performance+Tuning/overviewofperformance/1350/ -Similar pages

Advances in Database Technology--EDBT '90: International ... - Google Books Result by François Bancilhon, Costantino Thanos - 1990 - Computers - 452 pages With page locking, if all the qualifying RIDs on the page are not returned ... If multiple processes are involved and a shared-memory architecture is used, ... books.google.com/books?isbn=3540522913...

> 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> **Next**

multiple (processes OR activities) in Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental

Web Images Maps News Shopping Gmail more ▼

Sign in

<u>Google</u>

release all locks associated to same activities

Search

Advanced Search Preferences

Web Results 1 - 10 of about 1,810,000 for release all locks associated to same activities at the same time. ((

CSE 428: Lecture notes

This means that nested invokations of synchronized methods on the same ... there is a counter associated to a lock, which is incremented each time the ... www.lix.polytechnique.fr/~catuscia/teaching/cg428/02Spring/lecture_notes/L14.html - 26k -Cached - Similar pages

(WO/2006/114674) SYSTEM AND METHOD FOR SEPARATING CODE SHARING AND ...

If the method comprises an instance method, it locks the lock associated with ... At the same time, OSGi does not specify any infrastructure that makes this ... www.wipo.int/pctdb/en/wo.jsp?wo=2006114674&IA=WO2006114674&DISPLAY=DESC -32k - Cached - Similar pages

Writing efficient thread-safe classes

Here, two threads cannot invoke currentScore() function at the same time; ... addMember(), addAlt(), and all() functions access locks associated with ... www.ibm.com/developerworks/java/library/j-threadsafe/ - 44k - Cached - Similar pages

LOCK

Argumentless LOCK is used to explicitly release all existing locks. Releases all locks previously held by the process. This is the same as an ... vista intersystems.com/csp/docbook/DocBook.UI.Page.cls?KEY=RCOS_clock - 51k -Cached - Similar pages

System for selectively registering and blocking requests initiated ... a transaction abort procedure to release all locks held by a transaction being ... Both transactions may read the same value, the value originally stored in ... www.freepatentsonline.com/5263155.html - 46k - Cached - Similar pages

Tips November 2004

When many threads are all contending for the same lock, ... Forgetting to release a ReentrantLock in a finally block can create a time bomb in your program ... www.javaperformancetuning.com/news/newtips048.shtml - 16k - Cached - Similar pages

Tuning the System to Optimize Performance

It is important to monitor all instances in the same way, ... This section describes excessive lock conversion rates associated with contention for a common ... download-uk.oracle.com/docs/cd/A58617_01/server.804/a58238/ch19 tun.htm - 24k -Cached - Similar pages

The Hardware Lock Strikes Back

Are these the incentives we want, or need, associated with Release 11's introduction ... Let's direct all of our energies to getting Release 11 out on time. ... www.fourmilab.ch/autofile/www/chapter2_80.html - 25k - Cached - Similar pages

Enable Cross-platform File Locking with a Lock Server

Because platforms don't all implement file locking in the same way, ... All lock and release requests must go through this central server. ... www.devx.com/Java/Article/7870/1954?pf=true - 21k - Cached - Similar pages

release all locks associated to same activities at the same time - Google ... Page 2 of 2

Forms **Forms**

When multiple users are updating the **same** database at the **same time**, MASTER uses **locks** when updating a record to prevent other users from simultaneously ... www.sir.com.au/help/forms_master.htm - 16k - <u>Cached</u> - <u>Similar pages</u>

1 2 3 4 5 6 7 8 9 10 Next

release all locks associated to same

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental

Web Images Maps News Shopping Gmail more ▼

Sign in

<u>Google</u>

database locking system with multiple activitie

Search

Advanced Search Preferences

Web Results 1 - 10 of about 959,000 for database locking system with multiple activities in one transaction.

Object lock management system with improved local lock management ... Parallel database systems store one or more databases on multiple storage If transaction b holds an exclusive-lock and transaction a requests an ... www.patentstorm.us/patents/5682537-description.html - 69k - Cached - Similar pages

Object lock management system with improved local lock management ... An example deadlock is transaction T 1 holding a lock on object O 1 and queued on a ... Parallel database systems store one or more databases on multiple ... www.freepatentsonline.com/5682537.html - 85k - Cached - Similar pages

[PDF] Database Transactions (Executive summary) Definition Coding a ... File Format: PDF/Adobe Acrobat - View as HTML This causes the system to "abort" the transaction. - The database returns to Transactions across multiple DBMS. • Within one transaction, there can be ... www.cs.usyd.edu.au/~fekete/teaching/summary-txns_4upL.pdf - Similar pages

System Administrator Guide :: Logging and Locking Systems The locking component controls concurrent access to a database. ... The logging system manages multiple asynchronous writes of log buffers to the log file. ... docs.ingres.com/sysadm/LoggingandLockingSystems - 24k - Cached - Similar pages

Implementing a Multi-Threaded Server

The grid server manages multiple activities. It responds to input from the ... Any one of these activities can become blocked while acquiring a lock or ... www.cs.wisc.edu/shore/1.0/ssmvas/node5.html - 23k - Cached - Similar pages

Macromedia - Devnet: Controlling Database Transactions in ... A serializable transaction places an exclusive lock on every data-table in use for the In order to use multiple data source names in one oftransaction ... www.adobe.com/devnet/coldfusion/articles/cftransaction.html - 41k -Cached - Similar pages

On Coupling Multiple Systems With A Global Buffer In the no-caching option, locks held by one transaction need to be retained increase the database size according to the number of nodes in the system. ...

doi.ieeecomputersociety.org/10.1109/69.494171 - Similar pages

Group commit timers and high volume transaction systems The idea works whenever you have multiple activities which could be ... In the Tandem system, the record locks on the. database are maintained in the ... www.springerlink.com/index/7mx7n6246058257n.pdf - Similar pages

Multi-view Memory To Support Os Locking For Transaction Systems ... systems for locking services. Chang [1988] reports on one of the first complete. attempts to incorporate transaction management functions ... ieeexplore.ieee.org/iel3/4947/13626/00625700.pdf?arnumber=625700 - Similar pages

Server Management

This month we will take a further look at database locking and some of the ... Only one

database locking system with multiple activities in one transaction - Goog... Page 2 of 2

transaction can take an update lock on a resource at any one time ... www.server-management.co.uk/index.php?option=com_ content&task=view&id=300&Itemid=55 - 33k - Cached - Similar pages

> 1 2 3 4 5 6 7 8 9 10 Next

Search database locking system with multip

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental

Web Images Maps News Shopping Gmail more ▼ Sign in <u>Google</u> Advanced Search locking and releasing locks in groups Search **Preferences** The "AND" operator is unnecessary -- we include all search terms by default. [details] Results 1 - 10 of about 1,930,000 for locking and releasing locks in groups. (0.34 seconds) Web Scholar

Scholarly articles for locking and releasing locks in groups

Granularity of locks in a shared data base - Gray - Cited by 287 Algorithms for scalable synchronization on shared-memory ... - Mellor-Crummey - Cited by 497 Method for performing private lock management - Richey - Cited by 52

Computer Laboratory -

Keir Fraser's dissertation, Practical lock freedom, presents a large number of new ... We will be releasing those when we have time to create a new neatly ... www.cl.cam.ac.uk/research/srg/netos/lock-free/ - 13k - Cached - Similar pages

teradata, release lock on fast load - ITtoolbox Groups

fast load locks ITtoolbox Groups. ... Hi all how to release lock on a fast load thanks in advance ... asked by Goutam_krishna on 10/31/2007 1:40:00 AM ... datawarehouse.ittoolbox.com/groups/technical-functional/teradata-l/teradata-release-lockon-fast-load-1678082 - 67k - Cached - Similar pages

To release lock records in Infotypes - ITtoolbox Groups

To release lock records in Infotypes ITtoolbox Groups. sap.ittoolbox.com/groups/technical-functional/sap-hr/to-release-lock-records-in-infotypes-242542 - 61k - Cached - Similar pages

Script to release lock on an Access database

Link: http://www.houseoffusion.com/groups/CF-Talk/thread.cfm/threadid:21317#107697. >Is there a script out there that will release the lock that put on an ... www.houseoffusion.com/groups/cf-talk/thread.cfm/threadid:21317 - 61k -Cached - Similar pages

killed sessions not releasing locks - ITtoolbox Groups

killed sessions not releasing locks ITtoolbox Groups. ... See if it helps KILL A LOCK ALTER SYSTEM KILL SESSION ... reply from Ajay_K_Gar... on 3/3/2004 ... oracle.ittoolbox.com/groups/technical-functional/oracle-db-l/killed-sessions-not-releasinglocks-425635 - 63k - Cached - Similar pages

Protocols for Interworking: XNFS, Version 3W - Network Lock ...

The Network Lock Manager (NLM) is a service that provides advisory X/Open CAE This structure encodes the arguments for releasing all locks and shares a ... www.opengroup.org/onlinepubs/9629799/chap10.htm - 20k - Cached - Similar pages

Conversation Group Locks

There is no explicit command or hint for acquiring or releasing a conversation group lock. Instead, every Service Broker command that affects a dialog or ... msdn2.microsoft.com/en-us/library/ms171615.aspx - 15k - Cached - Similar pages

HP 3000 Manuals

Examples of Obtaining and Releasing Locks [ALLBASE/SQL Reference Manual] ... Lock Requests 3: Share Locks Granted Sample Transactions Using Isolation ... docs.hp.com/cgi-bin/doc3k/B3621690212.17022/49 - 11k - Cached - Similar pages

Lock with locking elements movable by a magnetic key - Patent 4631939 For example, the lock may comprise three groups of rollers, each group being ... locking and releasing positions and the rollers of the other two groups ... www.freepatentsonline.com/4631939.html - 48k - Cached - Similar pages

Dynamic Rod Lock: manual release feature.(MOTION CONTROL/POWER ... Dynamic Rod Lock: manual release feature.(MOTION CONTROL/POWER TRANSMISSION)(Nexen Group Inc.)(Brief Article) from Design News in Business provided findarticles.com/p/articles/mi_hb078/is_200502/ai_n13027393 - 29k -Cached - Similar pages

> **1** 2 3 4 5 6 <u>7</u> <u>8</u> <u>9 10</u> Next

locking and releasing locks in group: Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental



Neb Images <u>Video News Maps more»</u>

locking and releasing locks in groups

Search

Advanced Scholar Search Scholar Preferences Scholar Help

"in" is a very common word and was not included in your search. [details]
The "AND" operator is unnecessary -- we include all search terms by default. [details]

Scholar All articles - Recent articles Results 1 - 10 of about 27,000 for locking and releasing locks

All Results

J Mellor-Crumm...

M Scott

C Mohan

K Gharachorloo

B Lindsay

Granularity of locks in a shared data base - all 3 versions »

JN Gray, RA Lorie, GR Putzolu - Proceedings of the 1st International Conference on Very ..., 1975 - portal.acm.org

... this notion of consistency to include protocols which **release locks** before the end of the transaction ... avoid **locking** entire files or areas in advance, **locks** are ... Cited by 287 - Related Articles - Web Search

Algorithms for scalable synchronization on shared-memory

multiprocessors - all 23 versions »

JM Mellor-Crummey, ML Scott - ACM Transactions on Computer Systems (TOCS), 1991 - portal.acm.org

... physically distributed shared memory We present a new scalable algorithm for spin **locks** that generates 0(1) remote references per **lock** acquisition, independent ... Cited by 497 - Related Articles - Web Search - Library Search

Method for performing private lock management - all 3 versions »

DB Lomet - US Patent 5,596,754, 1997 - Google Patents

... the physical locks can be made to cover the logical locks, permitting private logical locking. However, the early release of physical locks, while retaining ... Cited by 52 - Related Articles - Web Search

<u>VAXcluster: a closely-coupled distributed system</u> - <u>all 8 versions »</u> NP Kronenberg, HM Levy, WD Strecker - ACM Transactions on Computer Systems (TOCS), 1986 - portal acm org

... To modify the data, a process **locks** it and compares the ... the modified data back to disk and releases the **lock**. **Releasing** the **lock** increments the version number. ... Cited by 147 - Related Articles - Web Search

Main memory database systems: an overview - all 7 versions »

H Garcia-Molina, K Salem - Knowledge and Data Engineering, IEEE Transactions on, 1992 - ieeexplore ieee org

... In this case, both the **lock** and the **release** can be done with a ... 5], [9]. Precommitting

is accomplished by releasing a transaction's locks as soon ...

Cited by 225 - Related Articles - Web Search - Library Search

<u>Database system with methods for parallel lock management</u> - <u>all 2</u> versions »

M Sankaran, VB Krishnan - US Patent 5,832,484, 1998 - Google Patents ... traditionally employed to protect shared, global Lock Manager structures into multiple spin locks, each protecting individual hash buckets or groups of hash ... Cited by 51 - Related Articles - Web Search

Once-a-Day Concerta Methylphenidate Versus Three-Times-Daily

Methylphenidate in Laboratory and ... - all 5 versions »

WE Pelham, EM Gnagy, L Burrows-Maclean, A Williams ... - Pediatrics, 2001 - Am Acad

... MA * , Martin T. Hoffman, MD , Thomas M. Lock, MD , Karl ... daily dose added in the immediate-release MPH week ... were grouped by age into 2 groups of approximately ...

Cited by 133 - Related Articles - Web Search

Synchronization without contention - all 5 versions »

JM Mellor-Crummey, ML Scott - ACM SIGPLAN Notices, 1991 - portal.acm.org ... locks, reader-writer spin locks, and multi-processor barriers ... processor it should resume after acquiring and releasing the lock. ... Cited by 70 - Related Articles - Web Search

IPDFI Practical Lock-Freedom - all 3 versions »

K Fraser - University of Cambridge Computer Laboratory, Technical ..., 2004 - bcs.org ... a panacea, however, since the acquire and release operations themselves ... as I described

in Chapter 1, locks have many ... may stall waiting to take the failed lock. ... Cited by 76 - Related Articles - View as HTML - Web Search

Post-ERP pancreatitis as a model for cytokine induced acute phase response in acute pancreatitis - all 7 versions »

H Messmann, W Vogt, A Holstege, G Lock, A Heinisch ... - British Medical Journal, 1997 - gut.bmj.com

... I H Messmann W Vogt A Holstege G Lock A Heinisch ... time delay for IL-6 and CRP release

into the ... remaining 43 patients were divided into three groups according to ... Cited by 45 - Related Articles - Web Search

Gooooooogle >

1 2 3 4 5 6 7 8 9 10 Result Page: Next

> Search locking and releasing locks in group!

Google Home - About Google - About Google Scholar

©2008 Google